	Application No.	Applicant(s)	
Notice of Allowability	Application No.	Applicatings)	
	10/822,916	BLEIER, ZVI	(CM
	Examiner	Art Unit	
	Ricky D. Shafer	2872	
The MAILING DATE of this communication appeal all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED i or other appropriate comm IGHTS. This application is	n this application. If not included unication will be mailed in due co	l ourse. THIS
1. Mathical This communication is responsive to 01/24/2005.			
2. \boxtimes The allowed claim(s) is/are <u>2,4 and 6-12</u> .			
3. $igotimes$ The drawings filed on <u>24 January 2005</u> are accepted by the	e Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	on No	on from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requ	irements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			TICE OF
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in to the deponant of the deponan	son's Patent Drawing Review s Amendment / Comment o .84(c)) should be written on the header according to 37 Cl sit of BIOLOGICAL MAT	r in the Office action of he drawings in the front (not the b FR 1.121(d). ERIAL must be submitted. No	·
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview S Paper No. 98), 7. ⊠ Examiner's	nformal Patent Application (PTO- cummary (PTO-413), /Mail Date Amendment/Comment 	
		PICKY D. SHAFE PATENT EXAMINE ART UNIT 2507	

Application/Control Number: 10/822,916

Art Unit: 2872

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Michael R. Gilman on March 21, 2005.

2. The application has been amended as follows:

In claim 2, lines 5, the language "at least one mounting block" has been changed to read --first and second mounting blocks--.

In claim 2, lines 5-6, the language "said at least one mounting block" has been changed to read --each of said first and second mounting blocks being--.

In claim 2, lines 9, the language "at least one mounting block is" has been changed to read --first and second mounting blocks are--.

In claim 4, line 1, numeral "3", has been changed to numeral --2--.

In claim 12, line 2, the language "said at least one mounting block" has been changed to read --said first and second mounting blocks being--.

Claim 3 has been canceled.

3. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or fairly suggest a roof mirror assembly comprising first and second mirror panels having first and second reflective surfaces and first and second back portions and first and second mounting blocks having the limitations and arrangement as recited in claim 2, lines 2 to 8 for mounting said panels to another structure.

Application/Control Number: 10/822,916

Art Unit: 2872

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Ricky D. Shafer whose telephone number is (571) 272-2320.

The fax phone number for the organization where this application or proceeding is assigned is

703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RDS

March 21, 2005

ART UNIT 2**507** 7812

Page 3